

Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library
The Guide

cluster and port identifier and data transmission and interrupt



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used cluster and port identifier and data transmission and interrupt

Found 55,079 of 164,603

Sort results by

Display

results

relevance expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Relevance scale 🔲 📟 📟 📟

Best 200 shown

Distributed systems - programming and management: On remote procedure call Patrícia Gomes Soares

November 1992 Proceedings of the 1992 conference of the Centre for Advanced Studies on Collaborative research - Volume 2

Full text available: pdf(4.52 MB)

Additional Information: full citation, abstract, references, citings

The Remote Procedure Call (RPC) paradigm is reviewed. The concept is described, along with the backbone structure of the mechanisms that support it. An overview of works in supporting these mechanisms is discussed. Extensions to the paradigm that have been proposed to enlarge its suitability, are studied. The main contributions of this paper are a standard view and classification of RPC mechanisms according to different perspectives, and a snapshot of the paradigm in use today and of goals for t ...

Switcherland: a QoS communication architecture for workstation clusters Hans Eberle, Erwin Oertli



April 1998 ACM SIGARCH Computer Architecture News, Proceedings of the 25th annual international symposium on Computer architecture, Volume 26 Issue 3

Full text available: pdf(1.32 MB) Additional Information: full citation, abstract, references, citings, index

Computer systems have become powerful enough to process continuous data streams such as video or animated graphics. While processing power and communication bandwidth of today's systems typically are sufficient, quality of service (QoS) guarantees as required for handling such data types cannot be provided by these systems in adequate ways. We present Switcherland, a scalable communication architecture based on crossbar switches that provides QoS guarantees for workstation clusters in the form of ...

The V distributed system

David Cheriton

March 1988 Communications of the ACM, Volume 31 Issue 3

Full text available: pdf(2.55 MB)

Additional Information: full citation, abstract, references, citings, index terms, review -

The V distributed System was developed at Stanford University as part of a research project to explore issues in distributed systems. Aspects of the design suggest important directions for the design of future operating systems and communication systems.

4 Hierarchically-organized, multihop mobile wireless networks for quality-of-service



Ram Ramanathan, Martha Steenstrup

June 1998 Mobile Networks and Applications, Volume 3 Issue 1

Full text available: pdf(429.81 KB)

Additional Information: full citation, abstract, references, citings, index terms

MMWN is a modular system of adaptive link- and network-layer algorithms that provides a foundation on which to build mechanisms for quality-of-service provision in large, multihop mobile wireless networks. Such networks are a practical means for creating a communications infrastructure where none yet exists or where the previously existing infrastructure has been severely damaged. These networks provide communications for such diverse purposes as tactical maneuvering and strategic planning ...

5 4.2BSD and 4.3BSD as examples of the UNIX system

John S. Quarterman, Abraham Silberschatz, James L. Peterson December 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 4

Full text available: pdf(4.07 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Version (4.2BSD), which is a version of the UNIX Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California at Berkeley. We trace the historical development of the UNIX system from its conception in 1969 until today, and describe the design principles that have guided this development. We then present the internal data structures and ...

A survey of routing techniques for mobile communications networks

S. Ramanathan, Martha Steenstrup

October 1996 Mobile Networks and Applications, Volume 1 Issue 2

Full text available: pdf(276.88 KB)

Additional Information: full citation, abstract, references, citings, index terms

Mobile wireless networks pose interesting challenges for routing system design. To produce feasible routes in a mobile wireless network, a routing system must be able to accommodate roving users, changing network topology, and fluctuat- ing link quality. We discuss the impact of node mobility and wireless communication on routing system design, and we survey the set of techniques employed in or proposed for routing in mobile wireless networks.

7 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse December 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 4

Full text available: pdf(5.49 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

Status report of the graphic standards planning committee

Computer Graphics staff

August 1979 ACM SIGGRAPH Computer Graphics, Volume 13 Issue 3

Full text available: Paper pdf(15.01 MB) Additional Information: full citation, references, citings

Implementation and evaluation of a QoS-capable cluster-based IP router Prashant Pradhan, Tzi-cker Chiueh

November 2002 Proceedings of the 2002 ACM/IEEE conference on Supercomputing



Results (page 1): cluster and port identifier and data transmission and interrupt

Full text available: pdf(215.68 KB) Additional Information: full citation, abstract, references, index terms

A major challenge in Internet edge router design is to support both high packet forwarding performance and versatile and efficient packet processing capabilities. The thesis of this research project is that a cluster of PCs connected by a high speed system area network provides an effective hardware platform for building routers to be used at the edges of the Internet. This paper describes a scalable and extensible edge router architecture called Panama, which supports a novel aggregate r ...

10 A survey of commercial parallel processors

Edward Gehringer, Janne Abullarade, Michael H. Gulyn

September 1988 ACM SIGARCH Computer Architecture News, Volume 16 Issue 4

Full text available: pdf(2.96 MB)

Additional Information: full citation, abstract, citings, index terms

This paper compares eight commercial parallel processors along several dimensions. The processors include four shared-bus multiprocessors (the Encore Multimax, the Sequent Balance system, the Alliant FX series, and the ELXSI System 6400) and four network multiprocessors (the BBN Butterfly, the NCUBE, the Intel iPSC/2, and the FPS T Series). The paper contrasts the computers from the standpoint of interconnection structures, memory configurations, and interprocessor communication. Also, the share ...

11 A hybrid handover protocol for local area wireless ATM networks

Chai-Keong Toh

December 1996 Mobile Networks and Applications, Volume 1 Issue 3

Full text available: pdf(960.44 KB)

Additional Information: full citation, abstract, references, citings, index terms

While handovers of voice calls in a wide area mobile environment are well understood, handovers of multi-media traffic in a local area mobile environment is still in its early stage of investigation. Unlike the public wireless networks, handovers for multi-media Wireless LANs (WLANs) have special requirements. In this paper, the problems and challenges faced in a multi-media WLAN environment are outlined and a multi-tier wireless cell clustering architecture is introduced. Design issues for ...

12 Data replicas in distributed information services

H. M. Gladnev

March 1989 ACM Transactions on Database Systems (TODS), Volume 14 Issue 1

Full text available: pdf(1.94 MB)

Additional Information: full citation, abstract, references, index terms, review

In an information distribution network in which records are repeatedly read, it is costeffective to keep read-only copies in work locations. This paper presents a method of updating replicas that need not be immediately synchronized with the source data or with each other. The method allows an arbitrary mapping from source records to replica records. It is fail-safe, maximizes workstation autonomy, and is well suited to a network with slow, unreliable, and/or expensive communications links ...

13 File servers for network-based distributed systems

Liba Svobodova

December 1984 ACM Computing Surveys (CSUR), Volume 16 Issue 4

Full text available: pdf(4.23 MB)

Additional Information: full citation, references, citings, index terms, review

14 Mobile wireless network system simulation

Joel Short, Rajive Bagrodia, Leonard Kleinrock

December 1995 Wireless Networks, Volume 1 Issue 4

Full text available: pdf(1.70 MB)

Additional Information: full citation, abstract, references, citings

This paper describes an advanced simulation environment which is used to examine,





validate, and predict the performance of mobile wireless network systems. This simulation environment overcomes many of the limitations found with analytical models, experimentation, and other commercial network simulators available on the market today. We identify a set of components which make up mobile wireless systems and describe a set of flexible modules which can be used to model the various components ...

15 Providing reliable and fault tolerant broadcast delivery in mobile ad-hoc networks Elena Pagani




October 1999 Mobile Networks and Applications, Volume 4 Issue 3

Full text available: pdf(423.51 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

Mobile ad-hoc networks are making a new class of mobile applications feasible. They benefit from the fast deployment and reconfiguration of the networks, are mainly characterized by the need to support many-to-many interaction schema within groups of cooperating mobile hosts and are likely to use replication of data objects to achieve performances and high data availability. This strong group orientation requires specialized solutions that combine adaptation to the fully mobile environment ...

16 Client-server computing in mobile environments



June 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 2

Full text available: pdf(233.31 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>
. <u>terms</u>, <u>review</u>

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile compuing, mobile data, mobility awareness, survey, system application

17 <u>U-Net: a user-level network interface for parallel and distributed computing (includes URL)</u>



T. von Eicken, A. Basu, V. Buch, W. Vogels

December 1995 ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles, Volume 29 Issue 5

Full text available: pdf(1.84 MB)

Additional Information: full citation, references, citings, index terms

18 A federated approach to distributed network simulation



George F. Riley, Mostafa H. Ammar, Richard M. Fujimoto, Alfred Park, Kalyan Perumalla, Donghua Xu

April 2004 ACM Transactions on Modeling and Computer Simulation (TOMACS), Volume 14 Issue 2

Full text available: pdf(974.84 KB) Additional Information: full citation, abstract, references, index terms

We describe an approach and our experiences in applying federated simulation techniques to create large-scale parallel simulations of computer networks. Using the federated approach, the topology and the protocol stack of the simulated network is partitioned into a number of submodels, and a simulation process is instantiated for each one. Runtime infrastructure software provides services for interprocess communication and synchronization (time management). We first describe issues that arise in ...

Keywords: Simulation, distributed simulation, networks

19 Fast and flexible application-level networking on exokernel systems Gregory R. Ganger, Dawson R. Engler, M. Frans Kaashoek, Hector M. Briceño, Russell Hunt, Thomas Pinckney



February 2002 ACM Transactions on Computer Systems (TOCS), Volume 20 Issue 1

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(500.67 KB)

Full text available: pdf(1.67 MB)

terms Application-level networking is a promising software organization for improving performance and functionality for important network services. The Xok/ExOS exokernel system includes application-level support for standard network services, while at the same

Additional Information: full citation, abstract, references, index terms

time allowing application writers to specialize networking services. This paper describes how Xok/ExOS's kernel mechanisms and library operating system organization achieve this flexibility, and retrospectively shares our experiences an ...

Keywords: Extensible systems, OS structure, fast servers, network services

²⁰ TinyDB: an acquisitional query processing system for sensor <u>networks</u> Samuel R. Madden, Michael J. Franklin, Joseph M. Hellerstein, Wei Hong March 2005 ACM Transactions on Database Systems (TODS), Volume 30 Issue 1



We discuss the design of an acquisitional query processor for data collection in sensor networks. Acquisitional issues are those that pertain to where, when, and how often data is physically acquired (sampled) and delivered to query processing operators. By focusing on the locations and costs of acquiring data, we are able to significantly reduce power consumption over traditional passive systems that assume the a priori existence of data.

Keywords: Query processing, data acquisition, sensor networks

We discuss simple extensions to SQL for controlli ...

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	60176	cluster\$4	USPAT	OR	OFF	2005/03/31 09:55
S2	3218335	@ad<"20010503"	USPAT	OR	OFF	2005/03/31 09:55
S3	53883	S1 and S2	USPAT	OR	OFF	2005/03/28 17:32
S4	141753	node\$2	USPAT	OR	OFF	2005/03/31 09:56
S5	48457	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	USPAT	OR	OFF	2005/03/31 09:56
S6	7919	S3 and S4	USPAT	OR	OFF	2005/03/28 17:33
S7	923	S5 and S6	USPAT	OR	OFF	2005/03/28 17:33
S8	2714	S4 same S5	USPAT	OR	OFF	2005/03/28 17:33
S9	286	S7 and S8	USPAT	OR	OFF	2005/03/28 17:34
S10	305893	register\$2	USPAT	OR	OFF	2005/03/28 17:34
S11	242651	interrupt\$2	USPAT	OR	OFF	2005/03/28 17:34
S12	98	S9 and S10 and S11	USPAT	OR	OFF	2005/03/28 17:35
S14	60275	cluster\$4	USPAT	OR	OFF	2005/03/29 09:33
S15	3218783	@ad<"20010503"	USPAT	OR	OFF	2005/03/29 09:33
S16	53915	S14 and S15	USPAT	OR	OFF	2005/03/29 09:33
S17	142003	node\$2	USPAT	OR	OFF	2005/03/29 09:33
S18	48520	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	USPAT	OR	OFF	2005/03/29 09:33
S19	7929	S16 and S17	USPAT	OR	OFF	2005/03/29 09:33
S20	923	S18 and S19	USPAT	OR	OFF	2005/03/29 09:33
S21	2722	S17 same S18	USPAT	OR	OFF	2005/03/29 09:33
S22	286	S20 and S21	USPAT	OR	OFF	2005/03/29 09:33
S23	306194	register\$2	USPAT	OR	OFF	2005/03/29 09:33
S24	242830	interrupt\$2	USPAT	OR	OFF	2005/03/29 09:33
S25	98	S22 and S23 and S24	USPAT	OR	OFF	2005/03/29 11:22
S26	5788	709/205.ccls. 709/217.ccls. 709/218.ccls. 709/220.ccls. 709/222.ccls. 709/224.ccls.	USPAT	OR	OFF	2005/03/29 11:25
S27	1798	709/213.ccls. 370/412-413.ccls.	USPAT	OR	OFF	2005/03/29 11:26
S28	7 44 6	S26 S27	USPAT	OR	OFF	2005/03/29 11:26
S29	3218783	@ad<"20010503"	USPAT	OR	OFF	2005/03/29 11:26
S30	6942	S28 and S29	USPAT	OR	OFF	2005/03/29 11:27
S31	60275	cluster\$4	USPAT	OR	OFF	2005/03/29 11:27
S32	60275	S31	USPAT	OR	OFF	2005/03/29 11:27
S33	525	S30 and S31	USPAT	OR	OFF	2005/03/29 11:27

S34	48520	port\$2 with (id\$2 identifier\$2	USPAT	OR	OFF	2005/03/29 13:06
		identification\$2 name42 number\$2 code\$2 designation\$2)				
S35	48520	S34	USPAT	OR	OFF	2005/03/29 11:27
S36	125	S34 and S33	USPAT	OR	OFF	2005/03/29 13:05
S37	272	709/243-244.ccls.	USPAT	OR	OFF	2005/03/29 13:05
S38	265	S29 and S37	USPAT	OR	OFF	2005/03/29 13:05
S39	73217	(node\$2 port\$2) with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	USPAT	OR	OFF	2005/03/29 13:06
S40	156	S38 and S39	USPAT	OR	OFF	2005/03/29 13:07
S41	19	S31 and S40	USPAT	OR	OFF	2005/03/29 13:40
S42	1200037	prob\$3, discovery	USPAT	OR	, OFF	2005/03/29 14:59
S43	6582	node\$2 with S42	USPAT	OR	OFF	2005/03/29 13:41
S44	33	S37 and S29 and S43	USPAT	OR	OFF	2005/03/29 13:41
S45	219309	probe, probing, probes, discovery	USPAT	OR	OFF	2005/03/29 14:59
S46	3218783	@ad<"20010503"	USPAT	OR	OFF	2005/03/29 14:59
S47	272	709/243-244.ccls.	USPAT	OR	OFF	2005/03/29 14:59
S48	1200037	prob\$3, discovery	USPAT	OR	OFF	2005/03/29 14:59
S49	6582	node\$2 with S48	USPAT	OR	OFF	2005/03/29 14:59
S51	7	S45 and S50	USPAT	OR	OFF	2005/03/29 15:00
S52	50	("5355371" "5682512" "6535990" "6097696" "4907224" "6128283" "6363495" "5594732" "6044081" "5796736" "5511168" "5930259" "4507781" "4571699" "4759015" "4864559" "5799016" "5862344" "5909430" "5926101" "5983005" "6088336" "6119163" "6262976" "6330250" "4488288" "4893234" "5001472" "5224095" "5237568" "5243595" "5249184" "5457683" "5490139" "5534848" "5570084" "5590124" "5778187" "5835723" "5875189" "6076121" "6088141" "6137798" "6175574" "6175874" "6233258" "6288739" "6353619" "6442663" "6038677").pn.	USPAT	OR	OFF	2005/03/31 09:04

			·			
S53	50	("6078913" "6154765" "6389451" "5459725" "5805572" "6049889" "6393485" "6438705" "5345445" "5535195" "5544316" "5652841" "5699500" "5732206" "5828876" "5832222" "5924122" "5987496" "6151688" "6173374" "6192483" "6295585" "6338112" "6353898" "5729689" "6081538" "5517617" "5894481" "6054863" "6240096" "5353284" "5418781" "5434855" "6044079" "4813038" "4991171" "5001702" "5434914" "5752003" "5764930" "5903562" "5907557" "6002759" "6236660" "6243380" "6396842" "4815119" "5400329" "5410485" "5410551").pn.	USPAT	OR	OFF	2005/03/31 09:04
S54	100	S52 S53	USPAT	OR	OFF	2005/04/26 13:21
S55	96663	cluster\$4	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:55
S56	3331666	@ad<"20010503"	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:55
S57	58613	S55 and S56	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:55
S58	220286	node\$2	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:56
S59	72006	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:56
S60	3005	S58 with S59	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:56
S61 ·	232	S57 and S60	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:56
S62	411722	register\$2	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:56
S63	146	S61 and S62	US-PGPUB; USPAT	OR	OFF	2005/03/31 09:57
S64	146	port\$2 and S63	US-PGPUB; USPAT	OR	OFF	2005/03/31 10:41
S65	1	"6754753".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:10
S66	984	710/107.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:10
S67	259	370/359.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:10
S68	340	712/11.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:10

		•	r	г		
S69	135	712/29.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:10
S70	1702	S66 S67 S68 S69	US-PGPUB; USPAT	OR .	OFF	2005/03/31 13:11
S71	3331666	@ad<"20010503"	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:11
S72	1464	S70 and S71	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:11
S73	72006	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:11
S74	411722	register\$2	US-PGPUB; USPAT	ÓR	OFF	2005/03/31 13:11
S75	220286	node\$2	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:11
S76	96663	cluster\$4	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:12
S77	277	S73 and S72	US-PGPUB; USPAT	OR ·	OFF	2005/03/31 13:12
S78	119	S75 and S77	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:12
S79	. 32	S76 and S78	US-PGPUB; USPAT	OR	OFF	2005/03/31 13:12
S80	984	710/107.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S81	259	370/359.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S82	340	712/11.ccls.	US-PGPUB; USPAT	OR	OFF .	2005/04/01 10:20
S83	135	712/29.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S84	1702	S80 S81 S82 S83	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S85	3331666	@ad<"20010503"	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S86	1464	S84 and S85	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S87	72006	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S88	220286	node\$2	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S89	96663	cluster\$4	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S90	277	S87 and S86	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20

S91	119	S88 and S90	US-PGPUB; USPAT	OR	OFF	2005/04/01 10:20
S92	32	S89 and S91	US-PGPUB; USPAT	OR	OFF	2005/04/01 13:58
S93	54	klingman.in.	US-PGPUB; USPAT	OR	OFF	2005/04/01 13:58
S94	60544	cluster\$4	USPAT	OR	OFF	2005/04/20 14:20
S95	3220027	@ad<"20010503"	USPAT	OR	OFF	2005/04/20 14:20
S96	53978	S94 and S95	USPAT	OR	OFF	2005/04/20 14:20
S97	142748	node\$2	USPAT	OR	OFF	2005/04/20 14:20
S98	48747	port\$2 with (id\$2 identifier\$2 identification\$2 name42 number\$2 code\$2 designation\$2)	USPAT	OR ·	OFF	2005/04/20 14:20
S99	7947	S96 and S97	USPAT	OR	OFF	2005/04/20 14:20
S10 0	928	S98 and S99	USPAT	OR	OFF	2005/04/20 14:20
S10 1	2744	S97 same S98	USPAT	OR	OFF	2005/04/20 14:20
S10 2	288	S100 and S101	USPAT	OR	OFF	2005/04/20 14:20
S10 3	5799	709/205.ccls. 709/217.ccls. 709/218.ccls. 709/220.ccls. 709/222.ccls. 709/224.ccls.	USPAT	OR	OFF	2005/04/20 14:21
S10 4	1794	709/213.ccls. 370/412-413.ccls.	USPAT	OR	OFF	2005/04/20 14:21
S10 5	7454	S103 S104	USPAT	OR	OFF	2005/04/20 14:21
S10 6		("5355371" "5682512" "6535990" "6097696" "4907224" "6128283" "6363495" "5594732" "6044081" "5796736" "5511168" "5930259" "4507781" "4571699" "4759015" "4864559" "5799016" "5862344" "5909430" "5926101" "5983005" "6088336" "6119163" "6262976" "6330250" "4488288" "4893234" "5001472" "5224095" "5237568" "5243595" "5249184" "5457683" "5490139" "5534848" "5570084" "5590124" "5778187" "5835723" "5875189" "6076121" "6088141" "6137798" "6175574" "6175874" "6233258" "6288739" "6353619" "6442663" "6038677").pn.	USPAT	OR	OFF	2005/04/20 14:21

<u> </u>	T				OFF	2005/04/20 14 21
S10 7	50	("6078913" "6154765" "6389451" "5459725" "5805572" "6049889" "6393485" "6438705" "5345445" "5535195" "5544316" "5652841" "5699500" "5732206" "5828876" "5832222" "5924122" "5987496" "6151688" "6173374" "6192483" "6295585" "6338112" "6353898" "5729689" "6081538" "5517617" "5894481" "6054863" "6240096" "5353284" "5418781" "5434855" "6044079" "4813038" "4991171" "5001702" "5434914" "5752003" "5764930" "5903562" "5907557" "6002759" "6236660" "6243380" "6396842" "4815119" "5400329" "5410485" "5410551").pn.	USPAT	OR	OFF	2005/04/20 14:21
S10 8	100	S106 S107	USPAT	OR	OFF	2005/04/20 14:34
S10 9	303	server near2 farm	USPAT	OR	ON	2005/04/20 14:34
S11 0	60765	S94 S109	USPAT	OR	ON	2005/04/20 14:34
S11 1	54117	S95 and S110	USPAT	OR	ON	2005/04/20 14:35
S11 2	2077	S98 and S111	USPAT	OR	ON	2005/04/20 14:35
S11 3	139	S105 and S112	USPAT	OR	ON	2005/04/20 14:35
S11 4	99	S97 and S113	USPAT	OR	ON	2005/04/20 14:35
S11 5	50	("5355371" "5682512" "6535990" "6097696" "4907224" "6128283" "6363495" "5594732" "6044081" "5796736" "5511168" "5930259" "4507781" "4571699" "4759015" "4864559" "5799016" "5862344" "5909430" "5926101" "5983005" "6088336" "6119163" "6262976" "6330250" "4488288" "4893234" "5001472" "5224095" "5237568" "5243595" "5249184" "5457683" "5490139" "5534848" "5570084" "5590124" "5778187" "5835723" "5875189" "6076121" "6088141" "6137798" "6175574" "6175874" "6233258" "6288739" "6353619" "6442663" "6038677").pn.	USPAT	OR	OFF	2005/04/26 13:21

S11 6	50	("6078913" "6154765" "6389451" "5459725" "5805572" "6049889" "6393485" "6438705" "5345445" "5535195" "5544316" "5652841" "5699500" "5732206" "5828876" "5832222" "5924122" "5987496" "6151688" "6173374" "6192483" "6295585" "6338112" "6353898" "5729689" "6081538" "5517617" "5894481" "6054863" "6240096" "5353284" "5418781" "5434855" "6044079" "4813038" "4991171" "5001702" "5434914" "5752003" "5764930" "5903562" "5907557" "6002759" "6236660" "6243380" "6396842" "4815119" "5400329" "5410485" "5410551").pn.	USPAT	OR	OFF	2005/04/26 13:21
S11 7	100	S115 S116	USPAT	OR	OFF	2005/04/26 13:21
S11 8	60	S117 and port and node	USPAT	OR	ON	2005/04/26 13:22
S11 9	22	S117 and port and node and cluster	USPAT	OR	ON	2005/04/26 13:49
S12 0	5124171	@ad<"20010503"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:50
S12 1	111213	cluster\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:50
S12 2	126151	port with (id identifier identification name number code designation)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:50
S12 3	245730	node	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:50
S12 4	1034	S120 and S121 and S122 and S123	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:51

S12 5	4718	S122 same S123	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:51	
S12 6	312	S124 and S125	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:52	
S12 7	4715	S125 not S119	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:52	
S12 8	309	S126 not S119	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/26 13:52	
S12 9	3058713	@ad<"20000620"	USPAT	OR	OFF	2005/04/27 09:32	
S13 0	36214	common with area	USPAT	OR	ON	2005/04/27 09:32	
S13	8399	common with zone	USPAT	OR ·	ON	2005/04/27 09:32	
S13 2	12175	gsm	USPAT	OR	ON	2005/04/27 09:32	
S13	2332	gprs	USPAT	OR	ON	2005/04/27 09:33	
S13 4	849	S132 and S133	USPAT	OR	ON	2005/04/27 09:33	
S13 5	43554	S130 or S131	USPAT	OR	ON	2005/04/27 09:33	
S13	50	S134 and S135	USPAT	OR	ON	2005/04/27 09:33	
S13 7	24	S129 and S136	USPAT	OR	ON	2005/04/27 09:33	
S13 8	. 23	network and S137	USPAT	OR	ON	2005/04/27 09:55	
S13 9	847	umts and S132	USPAT	OR	ON	2005/04/27 09:55	
S14 0	47	S135 and S139	USPAT	OR	ON	2005/04/27 09:55	
S14 1	28	S129 and S140	USPAT	OR	ON	2005/04/27 09:55	
S14 2	28	network and S141	USPAT	OR	ON	2005/04/27 09:55	
	Search History 10/14/05 11:38:58 AM Page 8 C:\Documents and Settings\jswearingen\My Documents\EAST\Workspaces\09845933\09845933 round2.wsp						

S14 3	1	"6535990".pn:	USPAT	OR	OFF	2005/10/12 17:39
S14 4	8212	cluster\$3 with comput\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:39
S14 5	39521	parallel\$3 with comput\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:39
S14 6	5135310	@ad<"20010503"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:39
S14 7	3824	S144 and S146	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:39
S14 8	25708	S145 and S146	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:40
S14 9	2147009	node\$2 port\$2 output\$2 input\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:40
S15 0	5016457	id\$2 identifier\$2 identification\$2 name\$2 numbe\$2 code\$2 designation\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:40
S15 1	560192	S149 with S150	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:41
S15 2	28808	S147 S148	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:41
S15 3	15086	S151 and S152	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:44
S15 4	915728	register\$2 buffer\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:44
S15 5	332579	S149 same S154	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:44

S15 6	256901	S149 with S154	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:45
S15 7	256901	S154 and S156	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:45
S15 8	7535	S153 and S157	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:46
S15 9	205646	S154 with S150	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:47
S16 0	5363	S158 and S159	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:47
S16 1	100810	"709"/\$.ccls. "370"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:47
S16 2	793	S160 and S161	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:48
S16 3	39645	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/12 17:49
S16 4	442	S163 and S162	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:25
S16 5	331316	interrupt\$2	US-PGPUB; USPAT; EPO; IBM_TDB	ÓR	ON	2005/10/13 15:25
S16 6	2770281	generat\$4 creat\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:25
S16 7	5135310	@ad<"20010503"	US-PGPUB; USPAT; EPO; IBM_TDB	ÓR	ON	2005/10/13 15:26

S16 8	41528	S166 with S165	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:26
S16 9	8241	cluster\$3 with comput\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 0	39581	parallel\$3 with comput\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 1	5135310	@ad<"20010503"	US-PGPUB; USPAT; EPO; IBM_TDB	OR ·	ON	2005/10/13 15:27
S17 2	3824	S169 and S171	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 3	25708	S170 and S171	US-PGPUB; USPAT; EPO; IBM_TDB	OR ·	ON	2005/10/13 15:27
S17 4	2150086	node\$2 port\$2 output\$2 input\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 5	5021196	id\$2 identifier\$2 identification\$2 name\$2 numbe\$2 code\$2 designation\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR ·	ON [*]	2005/10/13 15:27
S17 6	561161	S174 with S175	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 7	28808	S172 S173	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 8	15086	S176 and S177	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S17 9	917220	register\$2 buffer\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27

S18 0	257245	S174 with S179	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 1	257245	S179 and S180	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 2	7535	S178 and S181	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 3	206012	S179 with S175	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 4	5363	S182 and S183	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 5	101013	"709"/\$.ccls. "370"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 6	793	S184 and S185	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 7	39710	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 8	442	S187 and S186	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:27
S18 9	91	S188 and S168	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:54
S19 0	256	logical-OR	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:54
S19 1	190	S167 and S190	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:54

		· ·		.*		
S19 2	9335	prob\$3 with register\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:54
S19 3	31351	prob\$3 with (register\$2 buffer\$2)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 15:54
S19 4	14	S191 and S193	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:09
S19 5	5	sequential near2 storage near2 commands near2 (register\$2 buffer\$2 memory)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:11
S19 6	2	@ad<"20010503" and S195	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:10
S19 7	774	sequential adj storage	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:11
S19 8	0	S196 and S197	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:11
S19 9	608	@ad<"20010503" and S197	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:11
S20 0	461	S197 same (command\$2 data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:12
S20 1	917220	register\$2 buffer\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:12
S20 2	354	S200 and S201	US-PGPUB; USPAT; EPO; IBM_TDB	ÓR	ON	2005/10/13 17:12
S20 3	161	S200 same S201	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:12

S20 4	124	S203 and @ad<"20010503"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:41
S20 5	1	"6151688".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/10/13 17:41



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display

Fri, 14 Oct 2005, 11:23:46 AM EST

Run Search Reset

Recent Search Queries

44	((cluster <in>metadata) <and>(port identifier<in>metadata))</in></and></in>	
<u>#1</u>	<and> (interrupt<in>metadata)</in></and>	

- #2 ((cluster<in>metadata)<and>(port identifier<in>metadata))
- #3 (cluster computer<IN>metadata)
- #4 (cluster computer<in>metadata) and (identifier or id or number)
- #5 (cluster computer<in>metadata) and (identifier or id or number)
- #6 (cluster computer<in>metadata) and (identifier or id or number) and interrupt
- #7 (cluster computer<in>metadata) and interrupt
- (cluster computer<in>metadata) and (transmit or transmitting or transmission) and (data content id identifier number packet header value)
- #9 interconnect and node and port
- #10 (interconnect and node and port and (id or identifier) <IN>metadata)
- #11 (interconnect and node and port and (id or identifier) <IN>metadata)

Clear Session History

Inspec

Help Contact Us Privacy &:

© Copyright 2005 IEEE -